



REGO HARDWARE

The Artwork In Life



REGO HOME (SHANGHAI) CO., LTD.

At Rego Home Co we take a holistic approach to furniture hardware development and design. Working with the network of over 200 manufacturing facilities located mainly in China and Indonesia, we are able to identify, customize and develop products that suit specific needs of our customers. Our goal is to transform traditional understanding of import-export relationship and provide our customers with optimized furniture hardware solutions. We are determined to simplify our interaction, while delivering best quality results.

Our team is experienced in working with multiple product categories such as decorative and functional furniture hardware, screws and fasteners, opening system, products for both residential and commercial application. We share our knowledge and expertise with our customers and find, design and develop right products to suit their needs.

With customer network in such countries as China, the United States, Italy, Germany, Spain, Czech Republic, Romania, Lithuania, Russia, Belarus, Thailand, Philippines, Peru and Argentina, we are supplying furniture hardware to various manufacturers, distribution centers, kitchen design companies, building material traders and chain stores. We are monitoring product development trends and keep our customers informed and updated. Our expertise in product design and development allows us to build more partnerships and expand to new markets.

CATALOG

COLORS AND FINISHES	___001
PULLS AND KNOBS	___007
DRAWER SLIDES	___140
HINGES	___160
OPENING SYSTEMS	___176
STORAGE SYSTEMS	___192

PULLS AND KNOBS

0050000	137	1380160	52	1780096	104	1890009	74	1906003	80	2033160	36	2075000	84	2302320	128
1001000	88	1380192	52	1788000	70	1890010	74	1906004	80	2052000	32	2107128	120	2310000	120
1001001	90	1380224	52	1819000	53	1890011	74	1906005	80	2052096	32	2110000	120	2530000	46
1001002	90	1380320	52	1819096	53	1890012	74	1906006	80	2052128	32	2110000	125	2530096	46
1001003	90	1512096	56	1819128	53	1890013	74	1906007	80	2052160	32	2127096	122	2530128	46
1001004	88	1512128	56	1819192	53	1890014	74	1906008	80	2052192	32	2215076	66	2530192	46
1001005	90	1512160	56	1819256	53	1890015	74	1906009	80	2052320	32	2215128	66	2555000	43
1001006	88	1512192	56	1826096	67	1890016	74	1906010	80	2053001	86	2215160	66	2555096	43
1007096	120	1512224	56	1826128	67	1890017	74	1906011	80	2053002	86	2301064	128	2555128	43
1009000	40	1582128	56	1830000	47	1890018	74	1916096	19	2053003	86	2301096	128	2555192	43
1009096	40	1582160	56	1830096	47	1890019	74	1916128	19	2053004	86	2301128	128	2563096	52
1009128	40	1582192	56	1830128	47	1890020	74	1917096	19	2053005	86	2301160	128	2563128	52
1009160	40	1582224	56	1830192	47	1890021	74	1917128	19	2053006	86	2301192	128	2563160	52
1009192	40	1648096	54	1834096	57	1890022	74	1918160	69	2053007	86	2301224	128	2563192	52
1014096	120	1648128	54	1834128	57	1890023	74	1996096	103	2053008	86	2301256	128	2567096	51
1016096	120	1648160	54	1834160	57	1890024	74	1998076	105	2053009	86	2301288	128	2567128	51
1016128	120	1648192	54	1861096	34	1890025	74	1998096	105	2055096	125	2301320	128	2567192	51
1020096	120	1648224	54	1861128	34	1890026	74	1998128	105	2063000	8	2301352	128	2571000	51
1020128	120	1651076	44	1861192	34	1890027	74	2021000	10	2063096	8	2301384	128	2571096	51
1021096	120	1651096	44	1866000	34	1890028	74	2021096	10	2063128	8	2301416	128	2571128	51
1021128	120	1651128	44	1871032	38	1890029	74	2021128	10	2063160	8	2301448	128	2571192	51
1040000	137	1651160	44	1871096	38	1890030	74	2021160	10	2063192	8	2301480	128	2670064	122
1040001	137	1651192	44	1871160	38	1890031	74	2021192	10	2063256	8	2301512	128	2670128	122
1080000	137	1670000	46	1886064	119	1890032	74	2021256	10	2065000	12	2301544	128	2671096	122
1210000	98	1670096	46	1890000	74	1890033	74	2022000	125	2065096	12	2301576	128	2671128	122
1210001	98	1670128	46	1890001	74	1893000	104	2022128	125	2065128	12	2301608	128	2916000	28
1210096	98	1670224	46	1890002	74	1893128	104	2024096	120	2065160	12	2302096	128	2916001	28
1210128	98	1701000	30	1890003	74	1901000	30	2024096	125	2065192	12	2302128	128	2916002	28
1211096	92	1711000	30	1890004	74	1905064	68	2024128	120	2065256	12	2302160	128	3700096	126
1211128	92	1711001	30	1890005	74	1905096	68	2024128	125	2066096	18	2302192	128	3700128	126
1232096	138	1721096	49	1890006	74	1905128	68	2030000	120	2066128	18	2302224	128	3810096	62
1380096	52	1721128	49	1890007	74	1906001	80	2032064	39	2066160	18	2302256	128	3810128	62
1380128	52	1721192	49	1890008	74	1906002	80	2033032	36	2073000	84	2302288	128	3810160	62

3810192	62	5276128	105	5989064	119	6725096	102	8050001	136	8269096	103	9028192	54	9296192	64
3810224	62	5276160	105	5997076	114	6725128	102	8060000	136	8277096	104	9028224	54	9296224	64
3810320	62	5276192	105	6025000	50	6812096	40	8060001	136	8277128	104	9030096	106	9310000	136
4262001	72	5276256	105	6025096	50	6812128	40	8113096	20	8282000	100	9030128	106	9820096	44
4262002	72	5519076	114	6025128	50	6812192	40	8113128	20	8282096	100	9030160	106	9820128	44
4262003	72	5793076	116	6025160	50	6812256	40	8113160	20	8282128	100	9030224	106	9820160	44
4262004	72	5803076	106	6025192	50	6816000	48	8113192	20	8308000	137	9056000	103	9820192	44
4262005	72	5817000	112	6025224	50	6816064	48	8113320	20	8308001	137	9057000	103	9820224	44
4262006	72	5817096	112	6025256	50	6816096	48	8115000	137	8308002	137	9065000	98	9820256	44
5079000	122	5817128	112	6025320	50	6816128	48	8121000	138	8505000	24	9070000	93	121424096	134
5100000	126	5818000	112	6051000	70	6816160	48	8122000	138	8505064	24	9126128	61	121424128	134
5123000	70	5818096	112	6092000	112	6816224	48	8144000	138	8505096	24	9126160	61	121424160	134
5132400	42	5818128	112	6092096	112	7101128	61	8145000	138	8505128	24	9126192	61	121424192	134
5132400	114	5819096	112	6092128	112	7101160	61	8219096	96	8506016	24	9126224	61	121424224	134
5132401	42	5819128	112	6097032	122	7101192	61	8219128	96	8506032	24	9126256	61	121424256	134
5132401	114	5821076	118	6097064	122	7101224	61	8219160	96	8506096	24	9126448	61	121424288	134
5132402	42	5831076	108	6107000	102	7106128	62	8221096	98	8506128	24	9131001	136	121424320	134
5132402	114	5831096	108	6107096	102	7106160	62	8221160	98	8589000	26	9277160	65	121424352	134
5139064	117	5831128	108	6135000	124	7106192	62	8222096	94	8589001	26	9277192	65	121424800	134
5158076	114	5833000	110	6160128	106	7106224	62	8222128	94	8592000	26	9277224	65	501612096	134
5158096	114	5833096	110	6160192	106	7106256	62	8223000	112	8609000	55	9283160	65	501612128	134
5158128	114	5833128	110	6650128	62	7107128	60	8223128	112	8609128	55	9283192	65	501612160	134
5212000	108	5835096	94	6650160	62	7107160	60	8229128	93	8609192	55	9283224	65	501612192	134
5212096	111	5835128	94	6650192	62	7107192	60	8230000	100	8609256	55	9284160	58	501612224	134
5212128	111	5836096	94	6650224	62	7107224	60	8230096	100	8651160	104	9284192	58	501612256	134
5212160	111	5836128	94	6650256	62	7107256	60	8239000	100	8651320	104	9284224	58	501612288	134
5212256	111	5981096	96	6651128	62	7878160	57	8239096	100	8653128	47	9287160	58	501612320	134
5258000	100	5981128	96	6651160	62	7878192	57	8260096	103	8731000	26	9287192	58	501612352	134
5258032	100	5981160	96	6651192	62	7878224	57	8261096	103	8736000	26	9287228	58	501612800	134
5258096	100	5981192	96	6651224	62	7878320	57	8262096	98	8736001	26	9295160	58	701212096	132
5258128	100	5981256	96	6651256	62	8030000	136	8263096	103	9028096	54	9295192	58	701212128	132
5276000	105	5987000	114	6725000	102	8040000	136	8262128	98	9028128	54	9295224	58	701212160	132
5276096	105	5988076	119	6725032	102	8050000	136	8266128	104	9028160	54	9296160	64	701212192	132

701212224	132	711020288	132	761522352	132
701212256	132	711020320	132	761522800	132
701212288	132	711020352	132	801210096	130
701212320	132	711020800	132	801210128	130
701212352	132	721020096	134	801210160	130
701212800	132	721020128	134	801210192	130
701515096	132	721020160	134	801210224	130
701515128	132	721020192	134	801210256	130
701515160	132	721020224	134	801210288	130
701515192	132	721020256	134	801210320	130
701515224	132	721020288	134	801210352	130
701515256	132	721020320	134	801210800	130
701515288	132	721020352	134	821245096	130
701515320	132	721020800	134	821245128	130
701515352	132	761522096	132	821245160	130
701515800	132	761522128	132	821245192	130
711020096	132	761522160	132	821245224	130
711020128	132	761522192	132	821245256	130
711020160	132	761522224	132	821245288	130
711020192	132	761522256	132	821245320	130
711020224	132	761522288	132	821245352	130
711020256	132	761522320	132	821245800	130

DRAWER SLIDES

BDF1W12	140	RH01G-300-H	146	RH04G-300-H	152
BDF1W14	140	RH01G-350-H	146	RH04G-350-H	152
BDF1W16	140	RH01G-400-H	146	RH04G-400-H	152
BDF1W18	140	RH01G-450-H	146	RH04G-450-H	152
BDF1W20	140	RH01G-500-H	146	RH04G-500-H	152
BDF1W22	140	RH01G-550-H	146	RH04G-550-H	152
BDF2W12	142	RH02G-300-H	148	12SMSCL4512	156
BDF2W14	142	RH02G-350-H	148	14SMSCL4512	156
BDF2W16	142	RH02G-400-H	148	16SMSCL4512	156
BDF2W18	142	RH02G-450-H	148	18SMSCL4512	156
BDF2W20	142	RH02G-500-H	148	20SMSCL4512	156
BDF2W22	142	RH02G-550-H	148	22SMSCL4512	156
BDF3W12	144	RH03G-300-H	150	24SMSCL4512	156
BDF3W14	144	RH03G-350-H	150	12UM5003K	158
BDF3W16	144	RH03G-400-H	150	15UM5003K	158
BDF3W18	144	RH03G-450-H	150	18UM5003K	158
BDF3W20	144	RH03G-500-H	150	21UM5003K	158
BDF3W22	144	RH03G-550-H	150		

HINGES

SHR073	160	SHT30	166	SHW165	172
SHR083	162	SHT45	168	Hinge Accessories	174
SHR093	164	SHT90	170		
















OPENING SYSTEMS







TO107A	176	GSK2-004	178	GSK7-007	179
TO107B	176	GSK2-005	178	GSK7-008	179
TO108A	176	GSK2-006	178	GSK19	180
TO108B	176	GSK2-007	178	GSK23	180
TO109A	177	GSK2 -008	178	FSL-G123	182
TO109B	177	GSK7-001	179	FSL-G123	184
TO109C	177	GSK7-002	179	FDL-G127	186
TO109D	177	GSK7-003	179	FSL-G317	188
GSK2-001	178	GSK7-004	179	FDL-G125	190
GSK2-002	178	GSK7-005	179		
GSK2-003	178	GSK7-006	179		







STORAGE SYSTEMS




D31128	192	D41320	194	E515M2D	196
D31132	192	D41321	194	E520M2D	196
D41116	194	D41424	194	E525M2D	196
D41217	194	D41528	194	E530M2D	196
D41318	194	D41732	194	E535M2D	196




COLORS
AND
FINISHES



	01	Antique black		12	Blue		23	Creamy white		34	Oil antique bronze/OAB
	02	Antique bronze		13	Brown		24	Dark brown		35	Oil antique copper
	03	Antique coffee		14	Brushed black nickel		25	Edge-brushed antique bronze		36	Oil-rubbed bronze/ORB
	04	Antique copper		15	Brushed gold		26	Edge-brushed ORB		37	Orange
	05	Antique English /AE		16	Brushed nickel		27	European brass		38	Oriental red
	06	Antique European brass		17	Brushed rose gold		28	Forever gold		39	Oxidized aluminum
	07	Antique iron		18	Brushed steel		29	Grey		40	Oxidized brushed aluminum
	08	Antique nickel		19	Champagne		30	Gold plated		41	Oxidized black
	09	Antique silver		20	Chrome		31	Khaki		42	Oxidized brushed black
	10	Black		21	Clear		32	Matte brushed brass		43	Oxidized brushed gold
	11	Black nickel		22	Creamy gold		33	Matte brushed nickel		44	Oxidized brushed nickel

	45 Pearl black
	46 Pearl chrome
	47 Pearl grey
	48 Red
	49 Rose
	50 Rose gold
	51 Sand grey
	52 Satin chrome
	53 Space grey
	54 Space silver
	55 White
	56 Wood painted

	57 Yellow antique bronze
	58 Yellow
	59 Abalone shell
	60 Black butterfly shell
	61 Gold shell
	62 Pink shell
	63 White shell
	64 Cotton shell
	65 Black crystal
	66 Colorful crystal
	67 Black gold
	68 Beige

	69 Crackle white
	70 Ice blue
	71 Almond white
	72 Nature orange agate
	73 Nature fuchsia agate
	74 Nature green agate
	75 Nature violet agate
	76 Nature creamy white agate
	77 Nature ocean blue agate
	78 Randi red
	79 Randi blue

	80 Randi yellow
	81 Randi green
	82 Randi purple
	83 Brushed antique iron
	84 Pink
	85 Green
	86 Sand black
	87 Sand nickel
	88 Satin nickel
	89 Pearl gold
	90 Oxidized grey




PULLS AND KNOBS



No.	C-C	L	W	H	MATERIAL
2063000	knob	50	10	31	metal and crystal
2063096	96	105	10	31	
2063128	128	137	10	31	
2063160	160	169	10	31	
2063192	192	201	10	31	
2063256	256	265	10	31	



28 Forever gold



45 Pearl black





The inspiration of the Austrian painter Gustav Klimt, whose famous piecework “The Kiss” expresses the similar theme of romance and affection. Painted with the gold finishing and inlaid with the precious crystals, this handle shines a brilliant and eye-catching light. It has an attractive shape with gentle curves and a smooth and shiny surface with a high-qualified polish. By touching it, you will be immersed in endless of fantasy and romance.



No.	C-C	L	W	H	MATERIAL
2021000	knob	32	32	26	metal and crystal
2021096	96	129	15	27	
2021128	128	161	15	27	
2021160	160	193	15	27	
2021192	192	225	15	27	
2021256	256	288	15	27	



28 Forever gold





It is the love and care from our families.
It represents the communication of our inner
feelings between our love ones.
More importantly, it embodies the inheritance and
transmission of beauty, love and responsibility.



The Artwork In Life

It is the love and care from our family. It represents the communication of our inner feelings between our loved ones. More importantly, it embodies the inheritance and transmission of beauty, love and responsibility.





No.	C-C	L	W	H	MATERIAL
2065000	knob	32	32	28	metal and crystal
2065096	96	105	10	30	
2065128	128	137	10	30	
2065160	160	169	10	30	
2065192	192	201	10	30	
2065256	256	265	10	30	



28 Forever gold



38 Oriental red



45 Pearl black




- 28 Forever gold
- 45 Pearl black


No.	C-C	L	W	H	MATERIAL
2066096	96	111	20	26	metal and crystal
2066128	128	143	20	26	
2066160	160	175	20	26	




	No.	C-C	L	W	H	MATERIAL
1	1917096	96	123	20	26	metal and crystal
	1917128	128	159	23	26	
2	1916096	96	114	20	25.5	
	1916128	128	145	20	25.5	

- 10 Black
- 20 Chrome
- 30 Gold plated






No.	C-C	L	W	H	MATERIAL
8113096	96	132	33	9	metal and crystal
8113128	128	167	33	9	
8113160	160	198	33	10	
8113192	192	230	33	10	
8113320	320	360	33	10	



20 Chrome




28 Forever gold





	No.	C-C	L	W	H	MATERIAL
1	8505000	knob	27	27	26	metal and crystal
	8505064	64	98	15	23	
	8505096	96	134	15	23	
	8505128	128	170	15	23	
2	8506016	16	23	23	24	
	8506032	32	44	45	23	
	8506096	96	111	15	26	
	8506128	128	148	15	26	



20 Chrome



28 Forever gold




Its beauty is dazzling and breathtaking.
It is not only the conviction on truth, goodness
and beauty but also the sparkling and shining
light of the divine.
It is the pursuit of one's inner and pure self.
It is the quietness and peacefulness of one's
soul.
It is like after a long process of being torched
and forged by the hardships and adversities of
the long-life journey.



	No.	C-C	L	W	H	MATERIAL
1	8589000	knob (S)	20	20	28	metal and crystal
	8589001	knob (L)	28	28	28	
2	8731000	knob	30	30	39	
3	8592000	knob	31	31	32	
4	8736000	knob (S)	24	24	27	
	8736001	knob (L)	28	28	30	



15 Brushed gold



20 Chrome



28 Forever gold



20 Chrome




28 Forever gold



45 Pearl black




	No.	C-C	L	W	H	MATERIAL
1	2916000	knob (S)	51	36	25	metal and crystal
	2916001	knob (L)	65	47	29	
2	2916002	knob	85	29	20	




						
	No.	C-C	L	W	H	MATERIAL
1	1701000	knob	22	22	30	metal and crystal
2	1901000	knob	24	24	28	
3	1711000	knob (S)	26	26	23	
	1711001	knob (L)	33	33	25	

 20 Chrome

 28 Forever gold

 45 Pearl black



No.	C-C	L	W	H	MATERIAL
2052000	knob	32	32	26	metal and crystal
2052096	96	106	12	26	
2052128	128	138	12	26	
2052160	160	170	12	26	
2052192	192	202	12	26	
2052320	320	330	12	26	





No.	C-C	L	W	H	MATERIAL
1861096	96	160	11	30	metal
1861128	128	220	11	30	
1861192	192	220	11	30	
1866000	knob	28	28	24	




10&30 Black&Gold plated



10&11 Black&Black nickel




33&20 Matte brushed nickel&Chrome



16&20 Brushed nickel&Chrome



No.	C-C	L	W	H	MATERIAL
2033032	32	41	8	40	metal
2033160	160	178	8	40	



30 Gold plated




32 Matte brushed brass



38 Oriental red




45 Pearl black




46 Pearl chrome



50 Rose gold



53 Space grey



54 Space silver



No.	C-C	L	W	H	MATERIAL
1871032	32	40	30	43	metal
1871096	96	140	25	25	
1871160	160	170	25	25	



45 Pearl black



47 Pearl grey



55 White




No.	C-C	L	W	H	MATERIAL
2032064	64/96	81	81	23	metal



30 Gold plated




45 Pearl black



53 Space grey



32 Matte brushed brass




46 Pearl chrome



54 Space silver



38 Oriental red



51 Sand grey




No.	C-C	L	W	H	MATERIAL
6812096	96	121	18	24	metal
6812128	128	159	18	25	
6812192	192	220	19	26	
6812256	256	280	21	28	




10 Black



17 Brushed rose gold




16 Brushed nickel




36 Oil-rubbed bronze/ORB




No.	C-C	L	W	H	MATERIAL
1009000	Knob	35	35	28	metal
1009096	96	113	14	25	
1009128	128	146	14	26	
1009160	160	179	14	27	
1009192	192	212	15	28	



14 Brushed black nickel



16 Brushed nickel



36 Oil-rubbed bronze/ORB




No.	C-C	L	W	H	MATERIAL
5132400	knob(S)	25	25	26	metal
5132401	knob(M)	30	30	26	
5132402	knob(L)	38	38	26	



09 Antique silver



17 Brushed rose gold



36 Oil-rubbed bronze/ORB



10 Black



20 Chrome



50 Rose gold




16 Brushed nickel




32 Matte brushed brass



No.	C-C	L	W	H	MATERIAL
2555000	knob	31	31	26	metal
2555096	96	110	23	23	
2555128	128	142	23	23	
2555192	192	206	23	23	



16 Brushed nickel



36 Oil-rubbed bronze/ORB




47 Pearl grey



89 Pearl gold



			
	10 Black		15 Brushed gold
	52 Satin chrome		16 Brushed nickel
	08 Antique nickel		36 Oil-rubbed bronze/ORB
			30 Gold plated
			02 Antique bronze
			20 Chrome


	No.	C-C	L	W	H	MATERIAL
1	1651076	76	85	8	27	metal
	1651096	96	109	8	27	
	1651128	128	136	8	27	
	1651160	160	168	8	27	
	1651192	192	200	8	27	
2	9820096	96	121	8	25	
	9820128	128	153	8	25	
	9820160	160	188	8	25	
	9820192	192	224	8	25	
	9820224	224	256	8	25	
	9820256	256	286	8	25	



	No.	C-C	L	W	H	MATERIAL
1	2530000	knob	31	31	25	metal
	2530096	96	114	20	24	
	2530128	128	146	20	24	
	2530192	192	210	20	24	



	No.	C-C	L	W	H	MATERIAL
2	1670000	knob	35	19	25	metal
	1670096	96	117	17	30	
	1670128	128	149	17	30	
	1670224	224	244	17	30	



	No.	C-C	L	W	H	MATERIAL
1	8653128	128	170	9	30	metal
	1830000	knob	41	21	28	
2	1830096	96	133	12	25	
	1830128	128	160	12	25	
	1830192	192	229	12	25	






No.	C-C	L	W	H	MATERIAL
6816000	knob	47	28	24	metal
6816064	64	99	19	23	
6816096	96	131	21	23	
6816128	128	165	21	24	
6816160	160	192	21	27	
6816224	224	265	23	24	




10 Black



20 Chrome



33 Matte brushed nickel



25 Edge-brushed antique bronze



26 Edge-brushed ORB



No.	C-C	L	W	H	MATERIAL
1721096	96	123	16	27	metal
1721128	128	160	16	28	
1721192	192	223	17	31	




10 Black



20 Chrome



33 Matte brushed nickel



25 Edge-brushed antique bronze



26 Edge-brushed ORB




No.	C-C	L	W	H	MATERIAL
6025000	knob	30	30	22	metal
6025096	96	106	13	25	
6025128	128	139	13	26	
6025160	160	170	13	27	
6025192	192	202	13	28	
6025224	224	237	13	29	
6025256	256	260	13	30	
6025320	320	330	13	31	



10 Black



17 Brushed rose gold



20 Chrome



19 Champagne




33 Matte brushed nickel



47 Pearl grey



	No.	C-C	L	W	H	MATERIAL
1	2567096	96	105	17	24	metal
	2567128	128	127	17	24	
	2567192	192	201	17	24	
2	2571000	knob	23	23	31	
	2571096	96	110	15	28	
	2571128	128	142	15	28	
	2571192	192	206	15	28	



16 Brushed nickel




47 Pearl grey



89 Pearl gold






10 Black



36 Oil-rubbed bronze/ORB





	No.	C-C	L	W	H	MATERIAL
1	2563096	96	162	13	28	metal
	2563128	128	194	13	28	
	2563160	160	226	13	28	
	2563192	192	258	13	28	
2	1380096	96	125	8	26	
	1380128	128	160	9	27	
	1380160	160	193	9	27	
	1380192	192	227	9.5	28	
	1380224	224	261	10.5	29	
	1380320	320	357	10.5	31	

	16	Brushed nickel		47	Pearl grey		36	Oil-rubbed bronze/ORB
	10	Black		20	Chrome		30	Gold plated







No.	C-C	L	W	H	MATERIAL
1819000	knob	44	27	24	metal
1819096	96	120	24	25	
1819128	128	152	24	25	
1819192	192	216	24	25	
1819256	256	277	24	25	

	10	Black		20	Chrome
	16	Brushed nickel		36	Oil-rubbed bronze/ORB




	No.	C-C	L	W	H	COLOR MATERIAL
1	1648096	96	102	18	28	36
	1648128	128	134	18	28	20
	1648160	160	166	18	28	16
	1648192	192	198	18	28	15
	1648224	224	230	18	28	10
2	9028096	96	103	11	25	36
	9028128	128	135	11	25	20
	9028160	160	167	11	25	16
	9028192	192	199	11	25	15
	9028224	224	231	11	25	10


metal



	10	Black		16	Brushed nickel		36	Oil-rubbed bronze/ORB
	15	Brushed gold		20	Chrome			




No.	C-C	L	W	H	MATERIAL
8609000	knob	52	21	17	metal
8609128	128	183	12	26	
8609192	192	250	12	27	
8609256	256	313	25	30	






	11	Black nickel		36	Oil-rubbed bronze/ORB
	02	Antique bronze		51	Sand grey



	No.	C-C	L	W	H	MATERIAL
1	1582128	128	158	15	22	metal
	1582160	160	191	15	25	
	1582192	192	224	15	24	
	1582224	224	258	15	24	
	1512096	96	112	16	23	
2	1512128	128	144	16	23	
	1512160	160	177	16	25	
	1512192	192	209	16	25	
	1512224	224	238	16	31	
		 16	Brushed nickel		 20	Chrome




	No.	C-C	L	W	H	MATERIAL
1	1834096	96	111	10	28	metal
	1834128	128	143	10	28	
	1834160	160	175	10	28	
2	7878160	160	180	11	33	
	7878192	192	212	11	33	
	7878224	224	244	11	33	
	7878320	320	340	11	33	


	56&10	Wood painted&Black		55&20	White&Chrome
	16&20	Brushed nickel&Chrome		20&55	Chrome&White
	10&20	Black&Chrome		20&16	Chrome&Brushed nickel



	No.	C-C	L	W	H	MATERIAL
1	9295160	160	170	12	36	aluminium
	9295192	192	202	12	36	
	9295224	224	234	12	36	
2	9287160	160	173	12	33	
	9287192	192	205	12	33	
	9287228	228	237	12	33	
3	9284160	160	171	12	36	
	9284192	192	207	12	36	
	9284224	224	236	12	36	



20&16 Chrome&Brushed nickel



16&14 Brushed nicke&Brushed black nickel



41&52 Oxidized black&Satin chrome



20&39 Chrome&Oxidized aluminum



20&41 Chrome&Oxidized black



89 &41 Pearl gold&Oxidized black




No.	C-C	L	W	H	MATERIAL
7107128	128	133	10	29	aluminium
7107160	160	165	10	29	
7107192	192	197	10	29	
7107224	224	229	10	29	
7107256	256	261	10	29	




39 Oxidized aluminum




41 Oxidized black



16 Brushed nickel



20 Chrome



	No.	C-C	L	W	H	MATERIAL
1	9126128	128	148	8	32	aluminium
	9126160	160	180	8	32	
	9126192	192	212	8	32	
	9126224	224	244	8	32	
	9126256	256	276	8	32	
	9126448	448	468	8	32	
2	7101128	128	178	8	32	aluminium
	7101160	160	210	8	32	
	7101192	192	242	8	32	
	7101224	224	274	8	32	



16 Brushed nickel




39 Oxidized aluminum



43 Oxidized brushed gold



20 Chrome



42 Oxidized brushed black



	No.	C-C	L	W	H	MATERIAL
1	7106128	128	159	9	29	aluminium
	7106160	160	191	9	29	
	7106192	192	223	9	29	
	7106224	224	255	9	29	
	7106256	256	287	9	29	
2	3810096	96	131	10	28	aluminium
	3810128	128	163	10	28	
	3810160	160	195	10	28	
	3810192	192	227	10	28	
	3810224	224	259	10	28	
	3810320	320	291	10	28	
3	6650128	128	160	8	30	aluminium
	6650160	160	192	8	30	
	6650192	192	224	8	30	
	6650224	224	256	8	30	
	6650256	256	288	8	30	
4	6651128	128	160	8	30	aluminium
	6651160	160	192	8	30	
	6651192	192	224	8	30	
	6651224	224	256	8	30	
	6651256	256	288	8	30	

16	Brushed nickel	20	Chrome	41	Oxidized black
19	Champagne	39	Oxidized aluminum		




No.	C-C	L	W	H	MATERIAL
9296160	160	168	19	32	aluminium
9296192	192	199	19	32	
9296224	224	231	19	32	



41&42 Oxidized black&Oxidized brushed black



20&56 Chrome&Wood painted



16&14 Brushed nickel&Brushed black nickel



10&15 Black&Brushed gold



	No.	C-C	L	W	H	MATERIAL
1	9277160	160	250	16	22	aluminium
	9277192	192	281	16	22	
	9277224	224	314	16	22	
2	9283160	160	190	30	9	
	9283192	192	221	30	9	
	9283224	224	254	30	9	



11 Black nickel



15 Brushed gold



20 Chrome




14 Brushed black nickel




16 Brushed nickel




No.	C-C	L	W	H	MATERIAL
2215076	76/96	110	24	18	metal and leather
2215128	108/128	142	24	18	
2215160	140/160	172	24	18	




10&16 Black&Brushed nickel



30&10 Gold plated&Black



30&23 Gold plated&Creamy white



16&24 Brushed nickel&Dark brown



No.	C-C	L	W	H	MATERIAL
1826096	96	108	12	34	metal and leather
1826128	128	140	12	34	




No.	C-C	L	W	H	MATERIAL
1905064	knob	64	25	12	metal and leather
1905096	96	126	25	10	
1905128	128	162	25	10	



15&13 Brushed gold&Brown



51&37 Sand grey&Orange





51&10 Sand grey&Black

No.	C-C	L	W	H	MATERIAL
1918160	160	184	60	21	metal and leather



	No.	C-C	L	W	H	MATERIAL
1	1788000	knob	33	33	27	metal
2	6051000	knob	29	29	25	
3	5123000	knob	38	38	36	

	02	Antique bronze		09	Antique silver		16	Brushed nickel
	11	Black nickel		10	Black		07	Antique iron
	14	Brushed black nickel		20	Chrome		36	Oil-rubbed bronze/ORB





This product is made of pure copper and natural amber with colorful and rich layers, which not only highlights its luxury quality but also expresses its features of freshness and nature. Owing to the various colors and texture of the natural agate, each product is different and unique. Therefore, it is appropriate for people who pursue uniqueness, excellence and greatness.



No.	C-C	L	W	H	MATERIAL
4262001	knob	55	55	23	copper and amber
4262002		49	49	23	
4262003		52	52	23	
4262004		52	52	23	
4262005		49	49	23	
4262006		53	53	23	



72 Nature orange agate




73 Nature fuchsia agate




74 Nature green agate



75 Nature violet agate



76 Nature creamy white agate





77 Nature ocean blue agate

* Appropriate size,natural shape





	No.	C-C	L	W	H	MATERIAL
1	1890000	knob(S)	25	25	25	metal and leather
	1890001	knob(L)	32	32	26	
2	1890002	knob(S)	25	25	25	
	1890003	knob(L)	32	32	26	
3	1890004	knob(S)	25	25	25	metal and crystal
	1890005	knob(L)	32	32	26	
4	1890006	knob(S)	25	25	25	
	1890007	knob(L)	32	32	26	
5	1890008	knob(S)	25	25	25	metal and shell
	1890009	knob(L)	32	32	26	
6	1890010	knob(S)	25	25	25	
	1890011	knob(L)	32	32	26	
7	1890012	knob(S)	25	25	25	metal and shell
	1890013	knob(L)	32	32	26	
8	1890014	knob(S)	25	25	25	
	1890015	knob(L)	32	32	26	
9	1890016	knob(S)	25	25	25	
	1890017	knob(L)	32	32	26	

		18&37 Brushed steel&Orange
1		
		32&24 Matte brushed brass&Dark brown
2		
		32&23 Matte brushed brass&Creamy white
3		
		28&66 Forever gold&Colorful crystal
4		
		45&65 Pearl black&Black crystal
5		
		20&65 Chrome&Black crystal
6		
		32&64 Matte brushed brass&Cotton shell
7		
		28&60 Forever gold&Black butterfly shell
8		
		45&60 Pearl black&Black butterfly shell
9		



	No.	C-C	L	W	H	MATERIAL
10	1890018	knob(S)	25	25	25	metal and shell
	1890019	knob(L)	32	32	26	
11	1890020	knob(S)	25	25	25	
	1890021	knob(L)	32	32	26	
12	1890022	knob(S)	25	25	25	
	1890023	knob(L)	32	32	26	
13	1890024	knob(S)	25	25	25	metal and resin
	1890025	knob(L)	32	32	26	
14	1890026	knob(S)	25	25	25	
	1890027	knob(L)	32	32	26	
15	1890028	knob(S)	25	25	25	
	1890029	knob(L)	32	32	26	
16	1890030	knob(S)	25	25	25	
	1890031	knob(L)	32	32	26	
17	1890032	knob(S)	25	25	25	
	1890033	knob(L)	32	32	26	



28&59 Forever gold&Abalone shell



28&63 Forever gold&White shell



28&61 Forever gold&Gold shell



28&62 Forever gold&Pink shell



15&49 Brushed gold&Rose



45&70 Pearl black&Ice blue



28&67 Forever gold&Black gold



32&68 Matte brushed brass&Beige

Accessories	
 A. Hook matching screw	 B. Handle matching screw



It is not just a hook. it is also a beautiful embellishment in life. It can enrich your household life with various colors and materials.



28&62 Forever gold&Pink shell

1



28&63 Forever gold&White shell

2



28&61 Forever gold&Gold shell

3



28&59 Forever gold&Abalone shell

4






30&65 Gold plated&Black crystal

5

	No.	C-C	L	W	H	MATERIAL
1	1906001	21	38	34	38	metal and shell
2	1906002	21	38	34	38	
3	1906003	21	38	34	38	
4	1906004	21	38	34	38	
5	1906005	21	38	34	38	metal and crystal



	No.	C-C	L	W	H	MATERIAL
6	1906006	21	38	34	38	metal and leather
7	1906007	21	38	34	38	
8	1906008	21	38	34	38	
9	1906009	21	38	34	38	
10	1906010	21	38	34	38	metal
11	1906011	21	38	34	38	


6			30&37	Gold plated&Orange
7			30&10	Gold plated&Black
8			18&10	Brushed steel&Black
9			18&31	Brushed steel&Khaki
10			45	Pearl black
11			30&32	Gold plated&Matte brushed brass



	No.	C-C	L	W	H	MATERIAL
1	2073000	knob	31	31	25	metal
2	2075000	knob	31	27	25	



56&81 Wood painted&Randi green



56&79 Wood painted&Randi blue



56&71 Wood painted&Almond white



56&80 Wood painted&Randi yellow



56&78 Wood painted&Randi red



56&82 Wood painted&Randi purple



55&81 White&Randi green



55&79 White&Randi blue



55&71 White&Almond white



55&80 White&Randi yellow



55&78 White&Randi red



55&82 White&Randi purple



	No.	C-C	L	W	H	MATERIAL
1	2053001	10	65	26	36	metal
2	2053002	10	65	26	36	
3	2053003	10	65	26	36	
4	2053004	10	65	26	36	
5	2053005	10	65	26	36	
6	2053006	10	65	26	36	
7	2053007	10	65	26	36	
8	2053008	10	65	26	36	
9	2053009	10	65	26	36	



1



56&71 Wood painted&Almond white



2



56&78 Wood painted&Randi red



3



56&79 Wood painted&Randi blue



4



56&80 Wood painted&Randi yellow



5



56&82 Wood painted&Randi purple



6



56&81 Wood painted&Randi green



7



45&30 Pearl black&Gold plated



8



30 Gold plated



9



45 Pearl black



Embracing the mother Ocean, one can enjoy the spring flowers' blooming, the sunny beaches, and the summer breeze. The mysterious and romantic scenery of the ocean always makes one yearns for. Being designed with the similar theme of the marine life, this group will bring you and your family the experience of enjoying the beauty of the ocean without leaving home.

They made of soft silicone and designed in a cute and lovely style, this group of will bring a world of sunshine, happiness and security to our children.



1 2 3						
	No.	C-C	L	W	H	MATERIAL
1	1001000	96	126	20	33	rubber
2	1001004	knob	48	46	32	
3	1001006	knob	46	45	29	

55 White	58 Yellow	12 Blue
--------------------------------	---------------------------------	-------------------------------



1



2




3



4

	No.	C-C	L	W	H	MATERIAL
1	1001001	Knob	44	30	25	rubber
		32	71	48	26	
2	1001002	knob	47	45	24	
3	1001003	knob	45	45	22	
4	1001005	knob	59	43	24	



55 White



58 Yellow



12 Blue






	No.	C-C	L	W	H	MATERIAL
1	1211096	96	127	15	27	metal
	1211128	128	160	18	30	




02 Antique bronze




55&30 White&Gold plated




03 Antique coffee



10&20 Black&Chrome



04 Antique copper




10&30 Black&Gold plated



08 Antique nickel



	No.	C-C	L	W	H	MATERIAL
2	9070000	knob	29	29	25	meta
3	8229128	128	168	14	30	




05 Antique English /AE



35 Oil antique copper



36 Oil-rubbed bronze/ORB




08 Antique nickel



33 Matte brushed nickel



	No.	C-C	L	W	H	MATERIAL
1	8222096	96	124	15	22	metal
	8222128	128	156	16	24	
2	5835096	96	113	18	27	
	5835128	128	145	18	28	
3	5836096	96	116	21	28	
	5836128	128	147	21	31	




04 Antique copper




10 Black




05 Antique English /AE



16 Brushed nickel



07 Antique iron



36 Oil-rubbed bronze/ORB







08 Antique nickel



02 Antique bronze




	04	Antique copper		08	Antique nickel		36	Oil-rubbed bronze/ORB
	05	Antique English /AE		10	Black		55	White
	07	Antique iron		02	Antique bronze		57	Yellow antique bronze

	No.	C-C	L	W	H	MATERIAL
1	8219096	96	133	18	25	metal
	8219128	128	165	18	25	
	8219160	160	197	18	25	
2	5981096	96	115	19	28	
	5981128	128	148	19	28	
	5981160	160	180	19	29	
	5981192	192	212	19	29	
	5981256	256	276	19	29	



						
	No.	C-C	L	W	H	MATERIAL
1	8221096	96	113	12	24	metal
	8221160	160	179	15	25	
						



	No.	C-C	L	W	H	MATERIAL
2	1210000	knob (S)	23	23	22	metal
	1210001	knob (L)	28	28	24	
	1210096	96	108	14	30	
	1210128	128	141	15	30	


02 Antique bronze



05 Antique English /AE


08 Antique nickel

											
	No.	C-C	L	W	H	MATERIAL					
3	8262096	96	111	14	28	metal					
	8262128	128	143	14	30						
	02	Antique bronze			05	Antique English /AE			08	Antique nickel	

						
	No.	C-C	L	W	H	MATERIAL
4	9065000	knob	29	29	23	metal
						



	01	Antique black		06	Antique European brass
	02	Antique bronze		08	Antique nickel
	05	Antique English / AE		09	Antique silver



	No.	C-C	L	W	H	MATERIAL
1	8230000	knob	44	15	25	metal
	8230096	96	130	21	21	
2	8282000	knob	31	31	20	
	8282096	96	120	20	21	
	8282128	128	160	26	22	
3	8239000	knob	48	34	16	
	8239096	96	119	49	29	
4	5258000	knob	51	28	21	
	5258032	32	78	32	19	
	5258096	96	152	37	22	
	5258128	128	184	38	26	



	No.	C-C	L	W	H	MATERIAL
1	6107000	knob	35	35	21	metal
	6107096	96	122	36	25	
2	6725000	knob	37	37	23	
	6725032	32	53	53	23	
	6725096	96	144	31	25	
	6725128	128	176	32	26	



05 Antique English /AE



09 Antique silver




22 Creamy gold



	No.	C-C	L	W	H	MATERIAL
1	8260096	96	104	12	33	metal
2	8261096	96	104	12	33	
3	8262096	96	103	12	34	
4	9056000	knob	30	30	28	
5	9057000	knob	30	30	28	
6	1996096	96	131	16	28	
7	8269096	96	124	18	28	




05 Antique English /AE




08 Antique nickel



10 Black



33 Matte brushed nickel




36 Oil-rubbed bronze/ORB



09 Antique silver









	No.	C-C	L	W	H	MATERIAL
1	8277096	96	123	18	22	metal
	8277128	128	155	18	22	
2	8266128	128	139	15	25	
3	1893000	knob	34	34	27	
	1893128	128	156	22	25	
4	1780096	96	155	18	27	
5	8651160	160	185	12	24	
	8651320	320	345	12	24	

	08	Antique nickel		33	Matte brushed nickel		35	Oil antique copper
	10	Black		04	Antique copper		57	Yellow antique bronze
	02	Antique bronze		51	Sand grey		34	Oil antique bronze/OAB



	No.	C-C	L	W	H	MATERIAL
1	5276000	knob	30	30	24	metal
	5276096	96	106	15	25	
	5276128	128	140	16	26	
	5276160	160	172	17	26	
	5276192	192	205	17	27	
	5276256	256	268	18	27	
2	1998076	76	85	14	24	
	1998096	96	106	14	24	
	1998128	128	138	14	24	

	08	Antique nickel		16	Brushed nickel		32	Matte brushed brass
	10	Black		20	Chrome		36	Oil-rubbed bronze/ORB
	15	Brushed gold		07	Antique iron			



	No.	C-C	L	W	H	MATERIAL
1	6160128	96/128	138	7	27	metal
	6160192	160/192	208	7	27	
2	5803076	76	100	10	17	
3	9030096	96	135	13	19	
	9030128	128	168	13	24	
	9030160	160	202	14	23	
	9030224	224	266	14	27	



07 Antique iron



20 Chrome




10 Black




15 Brushed gold



11 Black nickel



36 Oil-rubbed bronze/ORB





16 Brushed nickel



47 Pearl grey



-  02 Antique bronze
-  07 Antique iron
-  10 Black
-  16 Brushed nickel
-  19 Champagne
-  20 Chrome
-  35 Oil antique copper
-  36 Oil-rubbed bronze/ORB
-  57 Yellow antique bronze
-  09 Antique silver
-  50 Rose gold
-  83 Brushed antique iron

	No.	C-C	L	W	H	MATERIAL
1	5831076	76	84	12	30	metal
	5831096	96	108	12	32	
	5831128	128	140	13	32	
2	5212000	knob	32	32	25	





	No.	C-C	L	W	H	MATERIAL
3	5833000	knob	64	28	32	metal
	5833096	96	112	16	32	
	5833128	128	145	17	34	



	No.	C-C	L	W	H	MATERIAL
4	5212096	96	111	11	31	
	5212128	128	143	16	32	
	5212160	160	175	12	34	
	5212256	256	272	13	35	



	No.	C-C	L	W	H	MATERIAL
1	8223000	knob	30	30	24	metal
	8223128	128	163	13	26	
2	5817000	knob	29	29	24	
	5817096	96	121	15	23	
	5817128	128	153	17	24	
3	5818000	knob	29	29	23	
	5818096	96	121	15	23	
	5818128	128	153	17	24	
4	5819096	96	112	15	31	
	5819128	128	145	15	32	
5	6092000	knob	28	28	26	
	6092096	96	123	18	25	
	6092128	128	156	19	27	



04 Antique copper



05 Antique English /AE




07 Antique iron



08 Antique nickel



33 Matte brushed nickel







36 Oil-rubbed bronze/ORB



09 Antique silver



	No.	C-C	L	W	H	MATERIAL
1	5158076	76	130	16	24	metal
	5158096	96	131	16	24	
	5158128	128	173	16	27	
2	5519076	76	117	22	27	
3	5997076	76	126	14	24	
4	5132400	knob(S)	25	25	26	
	5132401	knob(M)	30	30	26	
	5132402	knob(L)	38	38	26	
5	5987000	Knob	31	31	34	

	03	Antique coffee		17	Brushed rose gold
	07	Antique iron		20	Chrome
	09	Antique silver		32	Matte brushed brass
	10	Black		36	Oil-rubbed bronze/ORB
	16	Brushed nickel		50	Rose gold



- 07 Antique iron
- 10 Black
- 16 Brushed nickel
- 20 Chrome
- 36 Oil-rubbed bronze/ORB

No.	C-C	L	W	H	MATERIAL
5793076	76	90	31	29	metal



No.	C-C	L	W	H	MATERIAL
5139064	64	101	31	20	metal



No.	C-C	L	W	H	MATERIAL
5821076	76	98	35	28	metal




07 Antique iron



20 Chrome



10 Black



36 Oil-rubbed bronze/ORB



16 Brushed nickel




	No.	C-C	L	W	H	MATERIAL
1	5988076	76	86	40	24	metal
2	5989064	64/76	103	42	29	
3	1886064	64	91	25	21	




02 Antique bronze



16 Brushed nickel




07 Antique iron



20 Chrome



10 Black



36 Oil-rubbed bronze/ORB




	No.	C-C	L	W	H	MATERIAL
1	2107128	128	150	21	30	metal and ceramic
2	1021096	96	142	23	29	
	1021128	128	168	25	31	
3	2110000	knob	56	23	29	
	2024096	96	107	22	29	
	2024128	128	136	24	29	
4	1020096	96	126	21	26	
	1020128	128	170	28	32	
5	1016096	96	134	25	30	
	1016128	128	177	28	30	
6	2030000	knob	27	27	24	
7	2310000	knob	34	22	24	
8	1014096	96	108	20	31	
9	1007096	96	127	19	31	



02 Antique bronze



08 Antique nickel



05 Antique English /AE



34 Oil antique bronze/OAB



05 Antique English /AE



08 Antique nickel




09 Antique silver



22 Creamy gold



30 Gold plated



09&55 Antique silver&White



	No.	C-C	L	W	H	MATERIAL
1	2671096	96	115	23	31	metal and ceramic
	2671128	128	148	28	32	
2	2670064	64	81	32	25	
	2670128	128	145	36	25	
3	6097032	32	70	25	24	
	6097064	64	123	25	25	
4	5079000	knob	37	36	23	
5	2127096	141	140	19	36	



No.	C-C	L	W	H	MATERIAL
6135000	knob	46	46	28	metal and ceramic
 09 Antique silver					



	No.	C-C	L	W	H	MATERIAL
1	2055096	96	133	20	25	metal and ceramic
2	2110000	knob	56	23	29	
3	2024096	96	107	22	29	
	2024128	128	136	24	29	
4	2022128	128	133	20	36	
	2022000	knob	35	35	27	



10&55 Black&White




55&20 White&Chrome



	No.	C-C	L	W	H	MATERIAL
1	3700096	96	122	20	31	metal and ceramic
	3700128	128	146	20	31	
2	5100000	knob	36	36	34	



16 Brushed nickel



36 Oil-rubbed bronze/ORB






15 Brushed gold




47 Pearl grey



	10 Black		16 Brushed nickel
	15 Brushed gold		52 Satin chrome
	20 Chrome		

	No.	C-C	L	W	H	MATERIAL
1	2301064	64	124	12	32	steel
	2301096	96	156	12	32	
	2301128	128	188	12	32	
	2301160	160	220	12	32	
	2301192	192	252	12	32	
	2301224	224	284	12	32	
	2301256	256	336	12	32	
	2301288	288	368	12	32	
	2301320	320	400	12	32	
	2301352	352	432	12	32	
	2301384	384	464	12	32	
	2301416	416	496	12	32	
	2301448	448	528	12	32	
	2301480	480	560	12	32	
	2301512	512	592	12	32	
	2301544	544	624	12	32	
	2301576	576	656	12	32	
	2301608	608	688	12	32	
2	2302096	96	140	10	33	
	2302128	128	172	10	33	
	2302160	160	204	10	33	
	2302192	192	236	10	33	
	2302224	224	268	10	33	
	2302256	256	300	10	33	
	2302288	288	332	10	33	
	2302320	320	364	10	33	







	No.	C-C	L	W	H	MATERIAL
1	801210096	96	156	12	32	stainless steel
	801210128	128	188	12	32	
	801210160	160	220	12	32	
	801210192	192	252	12	32	
	801210224	224	284	12	32	
	801210256	256	316	12	32	
	801210288	288	348	12	32	
	801210320	320	380	12	32	
	801210352	352	412	12	32	
	801210800	800	860	12	32	
2	821245096	96	108	12	32	stainless steel
	821245128	128	140	12	32	
	821245160	160	172	12	32	
	821245192	192	204	12	32	
	821245224	224	236	12	32	
	821245256	256	268	12	32	
	821245288	288	300	12	32	
	821245320	320	332	12	32	
	821245352	352	364	12	32	
	821245800	800	812	12	32	



16 Brushed nickel






	No.	C-C	L	W	H	MATERIAL
1	701212096	96	110	12	40	stainless steel
	701212128	128	142	12	40	
	701212160	160	174	12	40	
	701212192	192	206	12	40	
	701212224	224	238	12	40	
	701212256	256	270	12	40	
	701212288	288	302	12	40	
	701212320	320	334	12	40	
	701212352	352	366	12	40	
	701212800	800	814	12	40	


	No.	C-C	L	W	H	MATERIAL
2	701515096	96	110	15	40	stainless steel
	701515128	128	142	15	40	
	701515160	160	174	15	40	
	701515192	192	206	15	40	
	701515224	224	238	15	40	
	701515256	256	270	15	40	
	701515288	288	302	15	40	
	701515320	320	334	15	40	
	701515352	352	366	15	40	
	701515800	800	814	15	40	
3	711020096	96	109	20	35	stainless steel
	711020128	128	141	20	35	
	711020160	160	173	20	35	
	711020192	192	205	20	35	
	711020224	224	237	20	35	
	711020256	256	269	20	35	
	711020288	288	301	20	35	
	711020320	320	333	20	35	
	711020352	352	365	20	35	
	711020800	800	813	20	35	
4	761522096	96	111	22	40	stainless steel
	761522128	128	143	22	40	
	761522160	160	175	22	40	
	761522192	192	207	22	40	
	761522224	224	239	22	40	
	761522256	256	271	22	40	
	761522288	288	303	22	40	
	761522320	320	335	22	40	
	761522352	352	367	22	40	
	761522800	800	815	22	40	



16 Brushed nickel



16 Brushed nickel




16&20 Brushed nickel&Chrome


	No.	C-C	L	W	H	MATERIAL
1	501612096	96	108	16	37	stainless steel
	501612128	128	140	16	37	
	501612160	160	172	16	37	
	501612192	192	204	16	37	
	501612224	224	236	16	37	
	501612256	256	268	16	37	
	501612288	288	300	16	37	
	501612320	320	332	16	37	
	501612352	352	364	16	37	
	501612800	800	812	16	37	
2	721020096	96	106	20	32	stainless steel
	721020128	128	138	20	32	
	721020160	160	170	20	32	
	721020192	192	202	20	32	
	721020224	224	234	20	32	
	721020256	256	266	20	32	
	721020288	288	298	20	32	
	721020320	320	330	20	32	
	721020352	352	362	20	32	
	721020800	800	810	20	32	
3	121424096	96	120	14	35	stainless steel
	121424128	128	152	14	35	
	121424160	160	184	14	35	
	121424192	192	216	14	35	
	121424224	224	248	14	35	
	121424256	256	280	14	35	
	121424288	288	312	14	35	
	121424320	320	344	14	35	
	121424352	352	376	14	35	
	121424800	800	824	14	35	



	No.	C-C	L	W	H	MATERIAL
1	9310000	knob(S)	33	33	34	ABS
	9131001	knob(L)	28	28	29	
2	8040000	knob	34	34	36	
3	8030000	knob	35	35	35	
4	8050000	knob(S)	29	29	26	
	8050001	knob(L)	40	40	38	
5	8060000	knob(S)	26	26	30	
	8060001	knob(L)	31	31	34	



04 Antique copper




20 Chrome



	No.	C-C	L	W	H	MATERIAL
1	0050000	knob	34	34	31	ABS
2	1040000	knob(S)	28	28	22	
	1040001	knob(L)	40	40	27	
3	8308000	knob(S)	24	24	26	plastic
	8308001	knob(M)	28	28	29	
	8308002	knob(L)	34	34	35	
4	8115000	knob	35	24	27	ABS
5	1080000	knob	38	38	26	



10 Black



23 Creamy white



52 Satin chrome




12 Blue



48 Red




55 White



20 Chrome




	No.	C-C	L	W	H	MATERIAL
1	8121000	Knob	51	47	26	ABS and acrylic
2	8145000	knob	37	38	20	
3	1232096	96	125	19	25	
4	8122000	knob	31	31	27	
5	8144000	knob	48	48	27	

	12	Blue		48	Red		84	Pink
	21	Clear		58	Yellow		85	Green
	37	Orange						

-DRAWER SLIDES
-HINGES
-OPENING SYSTEMS
-STORAGE SYSTEMS

Double-wall Drawer (Low)



Components part




Drawer Body



Slide




Rear Connectors



Front Connectors


Item no.	Goods Description	SIZE/ Thickness	Color
BDF1W12	12" Soft-Close Drawer Box	300mm	White/Grey
BDF1W14	14" Soft-Close Drawer Box	350mm	White/Grey
BDF1W16	16" Soft-Close Drawer Box	400mm	White/Grey
BDF1W18	18" Soft-Close Drawer Box	450mm	White/Grey
BDF1W20	20" Soft-Close Drawer Box	500mm	White/Grey
BDF1W22	22" Soft-Close Drawer Box	550mm	White/Grey

Installation dimensions (mm)




Feature of the product

- 1,Drawer width can be designed freely with automatic error adjustment
- 2,full pullout silencing slide can bear 35kg and enjoys excellent stability and quite and smooth slideing performance
- 3,Quick installation and dismantle dimensional panel




Bottom and back panel measure 16mm density panel

LW: Inside cabinet width




- A** Bottom panel width =Inside cabinet width-75+0.5
Bottom panel length=basiclength-10mm
- B** Lower drawer Back panel height=68mm
Back panel length=Inside cabinet width-87..+0.5

Double-wall Drawer With Glass




Components part




Item no.	Goods Description	SIZE/ Thickness	Color
BDF2W12	12" Soft-Close Drawer Box With Rails	300mm	White/Grey
BDF2W14	14" Soft-Close Drawer Box With Rails	350mm	White/Grey
BDF2W16	16" Soft-Close Drawer Box With Rails	400mm	White/Grey
BDF2W18	18" Soft-Close Drawer Box With Rails	450mm	White/Grey
BDF2W20	20" Soft-Close Drawer Box With Rails	500mm	White/Grey
BDF2W22	22" Soft-Close Drawer Box With Rails	550mm	White/Grey

Installation dimensions(mm)



Bottom and back panel measure 16mm density panel



- A** Bottom panel width =Inside cabinet width-75+0.5
Bottom panel length=basiclength-10mm
- B** Super high drawer Back panel height=183mm
Back panel length=Inside cabinet width-87..+0.5

Double-wall Drawer With Square Rails



Components part



Drawer Body



Slide



Square Rails



Lateral Glass Fitting




Rear Connectors



Front Connectors


Item no.	Goods Description	SIZE/ Thickness	Color
BDF3W12	12" Soft-Close Drawer Box With Glass	300mm	White/Grey
BDF3W14	14" Soft-Close Drawer Box With Glass	350mm	White/Grey
BDF3W16	16" Soft-Close Drawer Box With Glass	400mm	White/Grey
BDF3W18	18" Soft-Close Drawer Box With Glass	450mm	White/Grey
BDF3W20	20" Soft-Close Drawer Box With Glass	500mm	White/Grey
BDF3W22	22" Soft-Close Drawer Box With Glass	550mm	White/Grey

Installation dimensions(mm)



Bottom and back panel measure 16mm density panel

LW: Inside cabinet width



A Bottom panel width = Inside cabinet width - 75 + 0.5
Bottom panel length = basic length - 10 mm

B Super high drawer Back panel height=183mm
Back panel length=Inside cabinet width-87..+0.5

Slim Double-wall Drawer (Low)




- Concealed,full extension
- Dynamic loading capacity is 35kg
- Tool-free assembly and removal of drawer
- Linkage system is in perfect silence and smooth
- 2D adjustment,Up & down and left & right adjustment + 1.5mm
- Finishing:White,Silver grey , Iron grey



Item no.	Goods Description	SIZE/ Thickness	Color
RH01 G-300-H	12" Slim Metal Drawer Box (H-91.5mm) - Grey	300mm	Grey
RH01 G-350-H	14" Slim Metal Drawer Box (H-91.5mm) - Grey	350mm	Grey
RH01 G-400-H	16" Slim Metal Drawer Box (H-91.5mm) - Grey	400mm	Grey
RH01 G-450-H	18" Slim Metal Drawer Box (H-91.5mm) - Grey	450mm	Grey
RH01 G-500-H	20" Slim Metal Drawer Box (H-91.5mm) - Grey	500mm	Grey
RH01 G-550-H	22" Slim Metal Drawer Box (H-91.5mm) - Grey	550mm	Grey

Installation dimensions(mm)

Slide Installation Spec. - Low




Double-Wall Drawer Low (accessories)




Drawer Slides


Bottom and back panel measure




Front Panel-Low



Back Panel T=16MM



Bottom Panel T=16MM



Slim Double-wall Drawer (Medium)




- Concealed,full extension
- Dynamic loading capacity is 35kg
- Tool-free assembly and removal of drawer
- Linkage system is in perfect silence and smooth
- 2D adjustment,Up & down and left & right adjustment + 1.5mm
- Finishing:White,Silver grey , Iron grey


Item no.	Goods Description	SIZE/ Thickness	Color
RH02G-300-H	12" Slim Metal Drawer Box (H-121.5mm) - Grey	300mm	Grey
RH02G-350-H	14" Slim Metal Drawer Box (H-121.5mm) - Grey	350mm	Grey
RH02G-400-H	16" Slim Metal Drawer Box (H-121.5mm) - Grey	400mm	Grey
RH02G-450-H	18" Slim Metal Drawer Box (H-121.5mm) - Grey	450mm	Grey
RH02G-500-H	20" Slim Metal Drawer Box (H-121.5mm) - Grey	500mm	Grey
RH02G-550-H	22" Slim Metal Drawer Box (H-121.5mm) - Grey	550mm	Grey

Installation dimensions(mm)


Slide Installation Spec. - Medium



Double-Wall Drawer Medium (accessories)



Bottom and back panel measure




Front Panel-Medium

Back Panel T=16MM



Bottom Panel T=16MM



Drawer Slides

Slim Double-wall Drawer (High)




- Concealed,full extension
- Dynamic loading capacity is 35kg
- Tool-free assembly and removal of drawer
- Linkage system is in perfect silence and smooth
- 2D adjustment,Up & down and left & right adjustment + 1.5mm
- Finishing:White,Silver grey , Iron grey



Item no.	Goods Description	SIZE/ Thickness	Color
RH03G-300-H	12" Slim Metal Drawer Box (H-171.5mm) - Grey	300mm	Grey
RH03G-350-H	14" Slim Metal Drawer Box (H-171.5mm) - Grey	350mm	Grey
RH03G-400-H	16" Slim Metal Drawer Box (H-171.5mm) - Grey	400mm	Grey
RH03G-450-H	18" Slim Metal Drawer Box (H-171.6mm) - Grey	450mm	Grey
RH03G-500-H	20" Slim Metal Drawer Box (H-171.6mm) - Grey	500mm	Grey
RH03G-550-H	22" Slim Metal Drawer Box (H-171.5mm) - Grey	550mm	Grey

Installation dimensions(mm)


Slide Installation Spec. - High




Double-Wall Drawer High (accessories)



Bottom and back panel measure



Front Panel-High




Back Panel T=16MM



Spec.	H
Low	94mm
Medium	113mm
High	166mm
Extra High	188mm

Bottom Panel T=16MM



Drawer Slides


Slim Double-wall Drawer (Extra High)




- Concealed,full extension
- Dynamic loading capacity is 35kg
- Tool-free assembly and removal of drawer
- Linkage system is in perfect silence and smooth
- 2D adjustment,Up & down and left & right adjustment + 1.5mm
- Finishing:White,Silver grey , Iron grey

Item no.	Goods Description	SIZE/ Thickness	Color
RH04G-300-H	12" Slim Metal Drawer Box (H-201.5mm) - Grey	300mm	Grey
RH04G-350-H	14" Slim Metal Drawer Box (H-201.5mm) - Grey	350mm	Grey
RH04G-400-H	16" Slim Metal Drawer Box (H-201.5mm) - Grey	400mm	Grey
RH04G-450-H	18" Slim Metal Drawer Box (H-201.5mm) - Grey	450mm	Grey
RH04G-500-H	20" Slim Metal Drawer Box (H-201.5mm) - Grey	500mm	Grey
RH04G-550-H	22" Slim Metal Drawer Box (H-201.5mm) - Grey	550mm	Grey

Installation dimensions(mm)




Bottom and back panel measure



Drawer Slides

Slim Drawer-Box Detail Pictures



Three-Fold Soft Close Ball Bearing Slide


Drawer Slides




- Specifications
- Length:250~600mm
- Slide width:45mm
- Slide thickness:12.7mm
- Maximum load:30kg(18")
- The installed forms:drawer side
- Surface treatment:electrophoresis black,electro-galvanized
- Material:cold-rolled steel
- Material thickness:1.5x1.2x1.2mm(I/M/O)
- Scope:Cabinet/Home furniture/Office furniture/Decoration project etc.
- Packing:15 sets/CTN

Item no.	Goods Description	SIZE/ Thickness	Color
12SMSCL4512	12" Soft-Close Ball Bearing Slide (Full Ext.)	1.2*1.2*1.2mm	Zinc plated
14SMSCL4512	14" Soft-Close Ball Bearing Slide (Full Ext.)	1.2*1.2*1.2mm	
16SMSCL4512	16" Soft Close Ball Bearing Slide (Full Ext.)	1.2*1.2*1.2mm	
18SMSCL4512	18" Soft Close Ball Bearing Slide (Full Ext.)	1.2*1.2*1.2mm	
20SMSCL4512	20" Soft Close Ball Bearing Slide (Full Ext.)	1.2*1.2*1.2mm	
22SMSCL4512	22" Soft Close Ball Bearing Slide (Full Ext.)	1.2*1.2*1.2mm	
24SMSCL4512	24" Soft Close Ball Bearing Slide (Full Ext.)	1.2*1.2*1.2mm	

Depth Size



Installation dimensions(mm)



Soft Closing Undermount Slide



Hydraulic Soft Close Cylinder




3D Locking Bracket




- Product length:229mm-533(9" -21")
- Loadingweight:34kg/18"
- life span:50000times
- Feature:Full extension,quietly operation,tool-less height adj.(0-3mm)

Item no.	Goods Description	SIZE/ Thickness	Color
12UM5003K	12" S/CI U-M Slide w/2 way adj lock - 3/4" Mat	1.8*1.5*1.0mm	Zinc plated
15UM5003K	15" S/CI U-M Slide w/2 way adj lock - 3/4" Mat	1.8*1.5*1.0mm	
18UM5003K	18" S/CI U-M Slide w/2 way adj lock - 3/4" Mat	1.8*1.5*1.0mm	
21UM5003K	21" S/CI U-M Slide w/2 way adj lock - 3/4" Mat	1.8*1.5*1.0mm	


Installation dimensions(mm)



305	224	/	/	/	305	188.5	246
381	224	320	/	/	381	273	330.5
457	224	320	416	/	457	348.5	406
508	224	320	416	480	508	399.5	457
533	224	320	416	480	533	424.5	482
SIZE	D	E	F	G	BL	L	H




The asterisk number is the installation size of 19mm thickness drawer slide



Optional Accessories

A			Rear mounting bracket for face frame cabinets
B			Adjustable plug-in socket



Drawer Slides

Soft Closing Hinge 105°




SHR073 Inset Hinge(Clip on with cam adjust)


Products Specification
Concealed hinge clip on with integrated silent system
For door thickness of 14-22mm
Cup diameter :35mm
Cup depth :11.5mm
Opening degree:105°
Hinge arm material:steel,nickel plated
Hinge cup material:steel,nickel plated

Standard Package
100pcs/ctn

Installation dimensions(mm)




Drilling for Cup



Cup Installation

Screw on	Expanding	Press in
Wood screws Euro screws	8mm expansive dowel 10mm expansive dowel	8mm dowel 10mm dowel

Hinge adjustment



Soft Closing Hinge 105°




SHR083 Half Overlay Hinge(Clip on with cam adjust)


Products Specification
Concealed hinge clip on with integrated silent system
For door thickness of 14-22mm
Cup diameter :35mm
Cup depth :11.5mm
Opening degree:105°
Hinge arm material:steel,nickel plated
Hinge cup material:steel,nickel plated

Standard Package
100pcs/ctn


Installation dimensions(mm)




Drilling for Cup




Cup Installation



Hinge adjustment



Soft Closing Hinge 105°




SHR093 Full Overlay Hinge(Clip on with cam adjust)


Products Specification
Concealed hinge clip on with integrated silent system
For door thickness of 14-22mm
Cup diameter :35mm
Cup depth :11.5mm
Opening degree:105°
Hinge arm material:steel,nickel plated
Hinge cup material:steel,nickel plated

Standard Package
100pcs/ctn

Installation dimensions(mm)




Drilling for Cup



Cup Installation

Screw on	Expanding	Press in
Wood screws Euro screws	8mm expansive dowel 10mm expansive dowel	8mm dowel 10mm dowel

Hinge adjustment



Soft Closing Hinge For Corner Cabinet 30°




SHT30 30° Degree Hinge(Clip on with cam adjust)

Products Specification


Concealed hinge clip on with integrated silent system
For door thickness of 14-22mm
Cup diameter: 35mm
Cup depth: 11.5mm
Opening degree:30°
Hinge arm material: steel, nickel plated/ zinc
Hinge cup material: steel, nickel plated

Standard Package
100pcs/ctn

Installation dimensions(mm)




Drilling for Cup



Cup Installation

Screw on	Expanding	Press in
Wood screws Euro screws	8mm expansive dowel 10mm expansive dowel	8mm dowel 10mm dowel

Hinge adjustment



Soft Closing Hinge For Corner Cabinet 45°




SHT45 45° Degree Hinge(Clip on with cam adjust)

Products Specification


Concealed hinge clip on with integrated silent system
For door thickness of 14-22mm
Cup diameter: 35mm
Cup depth: 11.5mm
Opening degree:45°
Hinge arm material: steel, nickel plated/ zinc
Hinge cup material: steel, nickel plated

Standard Package
100pcs/ctn

Installation dimensions(mm)




Drilling for Cup



Cup Installation

Screw on	Expanding	Press in
Wood screws Euro screws	8mm expansive dowel 10mm expansive dowel	8mm dowel 10mm dowel

Hinge adjustment



Soft Closing Hinge For Blind Corner 90°




SHT90 Blind Corner Hinge(Clip on with cam adjust)

Products Specification


Concealed hinge clip on with integrated silent system
For door thickness of 14-22mm
Cup diameter: 35mm
Cup depth: 11.5mm
Opening degree:90°
Hinge arm material: steel, nickel plated/ zinc
Hinge cup material: steel, nickel plated

Standard Package
100pcs/ctn

Installation dimensions(mm)




Drilling for Cup




Cup Installation

Screw on	Expanding	Press in
Wood screws Euro screws	8mm expansive dowel 10mm expansive dowel	8mm dowel 10mm dowel

Hinge adjustment



Soft Closing Hinge 165°



SHW165

165° Soft close Hinge(Clip on with cam adjust)

Products Specification


Concealed hinge clip on with integrated silent system
For door thickness of 14-26mm
Cup diameter: 35mm
Cup depth: 11.5mm
Opening degree:165°
Hinge arm material: steel/zinc alloy, nickel plated
Hinge cup material: steel/zinc alloy, nickel plated

Standard Package

50pcs/ctn

Installation dimensions(mm)


Full overlay



$H=14+K-D$

$\frac{D}{H}$	K	3	4	5	6	7
0	17	18	19	20	21	
2	15	16	17	18	19	
4	13	14	15	16	17	


Half overlay



$H=4+K-D$

$\frac{D}{H}$	K	3	4	5	6	7
0	7	8	9	10	11	
2	5	6	7	8	9	
4	3	4	5	6	7	


Inset



$H=0+K+A$

$\frac{D}{H}$	K	3	4	5	6	7
2	-1	-2	-3	-4	-5	
4	1	0	-1	-2	-3	

Drilling for Cup



Cup Installation

Screw on	Expanding	Press in
Wood screws Euro screws	8mm expansive dowel 10mm expansive dowel	8mm dowel 10mm dowel

Hinge adjustment

Depth adjustment
Rotate depth screw to adjust door gap.
Adjust range: 3.8mm

Overlay Adjustment
Rotate lateral screw to increase or decrease door overlay
Adjust range: 5mm

Height adjustment
Adjust the mounting plate on panel to adjust the door's height.


Notice: The reference adjustment range is the product design range, the actual size of the cabinet and the drilling method may have a certain impact on the parameters.

Hinge Accessories

2 holes adjustable clip on adjustable mounting plate-screw on



For wood screw 4*15.5mm
Drilling space 32mm
To board edge 37mm
Adjustment range: +1.9mm
Material: steel, nickel plated




Height	H=0	H=2	H=4
Item code	C04	C24	C44

2 holes adjustable clip on adjustable mounting plate-Euro screw



For holes 5-12mm, pre-mounted
Euro screws
Drilling space 32mm
To board edge 37mm
Adjustment range: +1.9mm
Material: steel, nickel plated




Height	H=0	H=2	H=4
Item code	C07	C27	C47

2 holes clip on adjustable mounting plate-Dowels



For holes 5-12mm, pre-mounted
with Dowels
Drilling space 32mm
To board edge 37mm
Adjustment range: +1.9mm
Material: steel, nickel plated



Height	H=0	H=2	H=4
Item code	C02	C22	C42

Screws



Wooden screw



Euro screw



Self-tapping
wooden screw

Dowel



8mm round dowel



10mm dowel

Arm cap



Square hinge arm
cap



Short arm cap



Bend arm cap



Round arm cap for
regular hinge



Bend arm cap for
regular hinge

Cup cap




40mm cup cap



M26cup cap



Note : Not accessories listed in this catalog, contact for more details.

TipOn Push-to-Open Series




Item no.	Type	Distance	Material	Load capacity	Magnetic force (Gauss)
TO107A (Grey, White)	Magnetic TipOn	12.5mm	PA	28N	4300
TO107B (Grey, White)	Plastic head TipOn	12.5mm	PA	28N	/
TO108A (Grey, White)	Magnetic TipOn	39mm	PA	28N	4300
TO108B (Grey, White)	Plastic head TipOn	39mm	PA	28N	/

Optional Accessories




Item no.	Type	Distance	Material	Load capacity	Magnetic force (Gauss)
TO109A (Grey, White)	Magnetic TipOn	39.5/20.5mm	ABS	15N	4300
TO109B (Grey, White)	Plastic head TipOn	39.5/20.5mm	ABS	15N	/
TO109C (Grey, White)	Magnetic TipOn	39.5/20.5mm	ABS	15N	4300
TO109D (Grey, White)	Plastic head TipOn	39.5/20.5mm	ABS	15N	/

Optional Accessories




Gas Spring Series

GSK2



Item no.	Pipe diameter	Rod diameter	Length	Hole distance	Stroke	Standard Pressure
GSK2-001	Φ 15mm	Φ 6mm	270mm	248mm	91mm	30-250N
GSK2-002	Φ 15mm	Φ 6mm	178mm	156mm	45mm	
GSK2-003	Φ 15mm	Φ 6mm	207mm	185mm	59.5mm	
GSK2-004	Φ 15mm	Φ 6mm	230mm	208mm	71mm	
GSK2-005	Φ 15mm	Φ 6mm	237mm	215mm	74.5mm	
GSK2-006	Φ 15mm	Φ 6mm	300mm	278mm	106mm	
GSK2-007	Φ 15mm	Φ 6mm	322mm	300mm	117mm	
GSK2 -008	Φ 15mm	Φ 6mm	382mm	360mm	147mm	

GSK7



Item no.	Pipe diameter	Rod diameter	Length	Hole distance	Stroke	Standard Pressure
GSK7-001	Φ 15mm	Φ 6mm	270mm	248mm	91mm	30-250N
GSK7-002	Φ 15mm	Φ 6mm	178mm	156mm	45mm	
GSK7-003	Φ 15mm	Φ 6mm	207mm	185mm	59.5mm	
GSK7-004	Φ 15mm	Φ 6mm	230mm	208mm	71mm	
GSK7-005	Φ 15mm	Φ 6mm	237mm	215mm	74.5mm	
GSK7-006	Φ 15mm	Φ 6mm	300mm	278mm	106mm	
GSK7-007	Φ 15mm	Φ 6mm	322mm	300mm	117mm	
GSK7-008	Φ 15mm	Φ 6mm	382mm	360mm	147mm	

Gas Spring Series



GSK19

Material: Steel + Plastic
Finish: Painting
Capacity Range: 50N-150N
Available: Up-turning wooden door and aluminum-frame

Advantages

- 1.Angle of soft close can be adjusted
- 2.Soft closing



Self-innovation plate wheel adjustable buffer-prevent the buffer from falling off due to turning



GSK23

Material: Steel + Plastic
Finish: Painting
Capacity Range: 50N-150N
(Piston with open & close buffering function is customized)
Available: Up-turning wooden door and aluminum-frame

Advantages

Slight soft closing,Angle can't be adjusted



Optional Accessories



Item no.	Pip diameter	Rod diameter	Length	Hole distance	Stroke	Standard Pressure
GSK19	Φ 15mm	Φ 6mm	312mm	282mm	92mm	50-150N
GSK23	Φ 15mm	Φ 6mm	281mm	266mm	90mm	50-150N



FSL-G123



The lift system is suitable for cabinets with low height.

- With soft closing under angle 25° , max opening angle is 110°
- No need hinges for cabinet
- Easy to open, free stop function
- Force of opening or closing is adjustable
- Easy assembly and adjustable
- Different color options for decoration cover

WIDE RANGE OF APPLICATIONS

This lift system provides the ideal opening and closing effect for door panels of all sizes and materials, widely used in kitchens, living rooms, offices and bathrooms.

Smooth opening and closing, comfortable and elegant, brings a new experience for upturning lift system.

Superior Advantages



Force of opening or closing is adjustable



Panel can make 3D adjustment
Adjustment range: 1.Up&Down
2.Left&Right 3.Front&Back



Decoration covers

Decorative Cover Options



A- Grey(circular edge)



A- White(circular edge)



B- Grey(straight edge)



B- White(straight edge)


FSL-G123




- Material:Iron+Plastic
- Finish:Nickel plating
- Capacity:Light type 2.5-3.5kg
- Middle type 3.5-4.8kg
- Cabinet Height:250-500mm
- Heavy type:4.8-6kg
- Cabinet Width : ≤ 900mm(Cabinet width more than 900mm, model needs to be customized)
- Panel Thickness: 16/19/22/26/28mm
- 3Dadjustment for Panel:+2mm for up and down side, front and back side, left and right side
- Suitable for upturning wooden door and aluminum-frame door

Lift Body(left&right)/Opening angle:110°


1set x lift body	A	B	1set x panel ready-package accessory	8pcs x screws 4x39mm	4pcs x screws 4x16mm
	1set x cover A/B				



Installation Size(mm)




Panel Installation Size




4pcs x woodworking screws(4x16mm)
Use for fixed the aluminum panel
53+T=Total length
12.5+T=Total length


Space For Top Side Panel



Minimum Door Gap




D (mm)	16	18	22	26	28
X (mm)	55	50	42	34	29
Y (mm)	Y=FHx0.315-15+D				



Free Stop Lift System



FDL-G127




Material:Iron+Alu+Plastic
 Finish : Oxidation
 Capacity
 Light type: 3-4.5kg/pc
 Heavy type:5-6.5kg/pc
 Cabinet height: 300-500mm
 Cabinet width: ≤ 1200mm
 Cabinet Depth: > 240mm
 Panel Thickness:16/19/22/26/28mm
 Use for upturning wooden door and aluminum-frame door

- Advantages**
- 1.Product with free stop function when opening angle more than30° and has soft closing function when closing angle under30° because of interior.
 - 2.Easy to open
 - 3.Force adjustable
 - 4.Easy assembly and adjustment
 - 5.Compact structure, higher space utilization

FDL-G127A



Exquisite product design.
 Force adjustable.
 Built-in damping provides quiet space.
 Design patents, up to the international leading level.



Upward Free Stop Lift System

FSL-G317



Material:Iron+Plastic

Finish :Nickel plated + Chrome plated

Capacity/pc: Light type 2-3KG,





Middle type 3.5-4.5kg

Heavy type 5-6kg


Advantages

1. Free stop at any position in opening angle about 60° or less
2. Door can soft close if used with soft hinges
3. Force can be adjusted by turning the inside screw

Installation Size(mm)



Note: $17.5 + \text{Panel thickness} = \text{Total length}$



LH: Net height	H: Height
FD: Panel thickness	Y: Height between panel & cabinet
FH: Panel height	X: Decoration panel length
SOB: Top panel thickness	α : Angle



Upward Folding Door Lift System




Material: Zinc alloy +Plastic +Iron
 Finish: Nickel plating + Chrome plating
 Capacity height: 600-1000mm
 Capacity width: ≤ 1200mm
 Use for high wall cabinet with 2 door panels

- Advantages**
- 1.Silent and effortless closing, because of interior damper
 - 2.Easy to open
 - 3.Stop at any opening position
 - 4.Provides excellent access to the cabinet interior
 - 5.Huge application variety
 - 6.Easy to assembly and adjustment
 - 7.Stability, even with wide fronts
 - 8.Excellent durability
 - 9.Door handle can be installed in ideal position
 - 10.No protruding parts

FDL-G125



Installation Size(mm)



Cabinet Height: H	600	650	700	750	800	850	900	950	1000
Installation Size: M	100	150	100	120	200	250	200	250	250
Installation Size: B	163	188	213	208	263	288	263	288	313
Alu. Bar Length: K	200	200	300	300	300	300	350	350	400



28" Pie Cut Lazy Susan



Cabinet Storage

Item no.	Goods Description (mm)	Specification (mm)	Cabinet width (mm)	Inside width of cabinet (mm)
D31128	270° swivel basket Φ 15mm	710xH(600-750)	800x800	764
D31132		820xH(600-750)	900x900	864

28" Round Lazy Susan



Cabinet Storage



Item no.	Goods Description (mm)	Specification (mm)	Cabinet width (mm)	Inside width of cabinet (mm)
D41116	Round swivel basket	410xH(600-750)	450	414
D41217		440xH(600-750)	500	464
D41318		460xH(600-750)	550	514
D41320		510xH(600-750)	600	564
D41321		540xH(600-750)	650	614
D41424		610xH(600-750)	700	664
D41528		710xH(600-750)	800	764
D41732		820xH(600-750)	900	864



Side Sliding Basket



Cabinet Storage

Item no.	Goods Description (mm)	Specification (mm)	Cabinet width (mm)	Inside width of cabinet (mm)
E515M2D	Side Pull-out Basket	D470xW100xH657	150	114
E520M2D		D470xW155xH657	200	164
E525M2D		D470xW205xH657	250	214
E530M2D		D470xW255xH657	300	264
E535M2D		D470xW305xH657	350	314

For more information please visit our website
www.regohardware.com



REGO HOME (SHANGHAI) CO., LTD.

Address: RM213, NO.1177 Rongmei Road, Shanghai, China

Tel: +86-021-67796090

Email: lizzia@regohardware.com

Website: www.regohardware.com